

SWEDES INCIDENT



INCIDENT ACTION PLAN

AUGUST 19, 2013 0700

TO

AUGUST 20, 2013 0700

CA-BTU-010969



**THIS PAGE
INTENTIONALLY
LEFT BLANK**

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name: SWEDES INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Time From: 0700		Date To: 08/20/2013 Time To: 0700	
3. Incident Commander(s) and Command Staff:			7. Operations Section:		
IC	K. ZOMBRO / S. CURLEY (T)	Chief	S. SPINHARNEY	C. TODD	
Deputy	M. HEBRARD	Deputy	T. MECHAM		
Safety Officer	K. CALLISON / D. LAWS (T)	Staging Area	BANGOR PARK	E. RATLIFF	
Public Info. Officer	M. MOLHER / S. McLEAN	Branch	I		
Liaison Officer	J. TERSTRA / D. SCHLOSS (T) M. HARDY (T)	Branch Director			
Law Liaison	J. ROTHLEIN	Deputy			
4. Agency/Organization Representatives:			Division	A / B / S	J. MOBLEY
Agency/Organization	Name	Division	U		C. FOWLER
CAL OES	P. OBANNON	Division/Group			
CDCR	W. HERSHBERGER	Division/Group			
Butte Co. OES	J. GULSERMAN	Division/Group			
BCSO	TBA	Branch	II		
BLM	TBA	Branch Director	M. BROWN		
PG&E	TBA	Deputy			
5. Planning Section:			Division	V	J. BURROW
Chief	P. FLIGIEL / J. TAYLOR (T)	Division	W		J. JONES
Deputy	C. POST	Division	X		B. STOFFEL
Resources Unit	P. CARLOS	Division	Y		D. McNAMARA
Resources Unit	K. CARTER / C. ANTHONY	Division/Group			
Situation Unit	E. SCOVEL / D. LANGE (T)	Branch	N/A		
Situation Unit	K. OSBURN (T) / G. BELYEA (T)	Branch Director			
Demobilization Unit	TBA	Deputy			
GISS	T. WERLE / A. LAU	Division/Group			
FBAN	D. BOURSIER / J. WILSON (T)	Division/Group			
IMET	J. CLAPP	Division/Group			
Training Tech. Spec.	M. WINK	Division/Group			
6. Logistics Section:			Division/Group		
Chief	S. ERNEST	Air Operations Branch			
Deputy	C. WHITE (T)	Air Ops Branch Dir.	D. REESE		
Support Branch		Air Support Gp Sup.	D. JUNETTE		
Supply Unit	L. STORY	Helibase Manager	G. BRADSHAW		
Facilities Unit	S. MURRAY L. PONTES (T)	8. Finance/Administration Section:			
Ground Support Unit	M. TOOKER	Chief	T. SHYMANSKI		
Ordering Manager	R. DRAGOO / C. RICHINS E. SIMPSON (T)	Deputy	R. BROWNE		
Equipment Tech. Spec.	R. CARR	Time Unit	A. McADAMS		
Service Branch		Procurement Unit	J. FRANKLIN		
Communications Unit	E. MOORE	Comp/Claims Unit	C. CURRELL		
Medical Unit	J. WINNEN (T)	Cost Unit	A. O'LEARY (T)		
9. Prepared by: Name: P. FLIGIEL, CAL FIRE IMT1 Position/Title: PSC 1 Signature:					
ICS 203	IAP Page _____	Date/Time: 08/18/2013 @ 1920			

FORECAST NO: 2
PREDICTION FOR: Monday Day/Night SHIFT

NAME OF FIRE: Swedes Fire CA-BTU
UNIT: CALFIRE - Butte

SHIFT DATE: 19 August 2013

SIGNED: Jason Clapp

TIME AND DATE
FORECAST ISSUED: 1800 / 18 August 2013

Jason Clapp
Incident Meteorologist

...RED FLAG WARNING FOR LIGHTNING TODAY THROUGH WEDNESDAY...

WEATHER DISCUSSION: Upper low sits offshore of the central CA coast slowly drifting northward and bringing an unstable weather pattern to the area over the next several days. Moisture and instability will increase today with some cumulus buildups to the east over higher terrain. A wave may come through overnight into Monday with the potential for isolated showers/thunderstorms around the fire area. Expect erratic outflow winds near storms.

WEATHER FORECAST:

WEATHER: Partly to mostly cloudy with isolated to scattered thunderstorms forming over higher terrain by mid afternoon and tracking northwest into the fire area by late afternoon.

TEMPERATURES: 1500ft: 95-100 *Trend: Little change*
RELATIVE HUMIDITY: 1500ft: 20-25% *Trend: Little change*

20 FT WINDS:

RIDGETOP - Northeast 3-6 mph with gusts to 10 mph.

After 1000 – Southwest 3-7 mph, then gusting to 14 mph in the afternoon.

SLOPE/VALLEY - Downcanyon/downslope 2 to 5 mph through 1000 becoming upslope/upcanyon at 4-6 mph and gusting 12 mph after 1400.

LAL: 2 in the afternoon becoming 3 toward by late afternoon.

STABILITY/INVERSION: Inversion breaking around 1200.

WEATHER FOR MONDAY NIGHT: Partly cloudy becoming mostly cloudy with a potential for isolated showers/thunderstorms moving in from the southeast near the fire. Low temperatures: 64-68. Max RH: 37-42%. Winds: Ridge wind northeast 3-5 mph, gusts to 10 mph. Downcanyon 3-7 mph.

OUTLOOK FOR TUESDAY: *A Red Flag Warning for lightning is in effect.* Partly cloudy to mostly cloudy with a chance of thunderstorms. High temperatures: 92-96. Min RH: 26-32%. Winds: SW ridge winds 4-7 mph. Upslope/upcanyon 4-6 mph with gusts 10 mph. Potential thunderstorms Tues night.

EXTENDED FORECAST: WEDNESDAY THROUGH FRIDAY

Upper Low still impacting northern CA into Thursday. Partly to mostly cloudy with the potential for thunderstorms activity with a cooling trend. Friday, dry SW flow with a warming trend. Max temp 83-93. Min RH 22-32%. Winds SSW/upcanyon to 4-6 mph with gusts 10 mph.

OBSERVATIONS FROM YESTERDAY:

Location/Elevation:	Low Temp:	High Temp:	Max RH	Min RH	24 hr Rain as of 2000	Winds
Reader Ranch / 1968 ft	65	100	48%	17%	0.00	WSW 8 G13
Pike Co Lookout / 3701 ft	70	91	42%	23%	0.00	WSW 6 G13
Bangor / 803 ft	66	98	61%	26%	0.00	SW 6 G13

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 002	TYPE OF FIRE: Wildfire
FIRE NAME: Swedes	OPERATIONAL PERIOD: 08/19/13 0700-0700
DATE ISSUED: 08/18/13	TIME ISSUED: 1800
UNIT: BTU	SIGNED: Don Boursier, FBAN

INPUTS

WEATHER SUMMARY: **RED FLAG WARNING IN FIRE AREA TODAY FOR ABUNDANT LIGHTNING**

Partly/mostly cloudy with cumulus buildup in the afternoon with thunderstorms over higher terrain and over fire area by late afternoon.

Max. Temp 95-100; Min RH 20-25%

Ridgetop Winds (20'): Northeast 4-6 mph **transitioning to Southwest by 1000 hrs** 4-6 mph, gust to 14 mph.
Slope/Valley Winds (20'): Downslope/canyon 2-5 mph transitioning to upslope/canyon 3-5 mph by 1000 hrs with gusts to 12 mph after 1400 hrs.

Inversion lifting between 1100-1200hrs

LAL: 3 (IRPG Pg. 76)

OUTPUTS

FIRE BEHAVIOR

GENERAL:

Fire is being carried by annual grasses, litter and a 59+ age class California mixed chaparral with Oak/Mixed Conifer. Expect spread to be primarily fuels and topography driven with some terrain driven winds. Portions of fire area have no recorded fire history. FDFM is 3% for 1 hr and 4% for 10 hr fuels. Live Fuel Moistures are near 85% (Manzanita) with 80% being critical. Fire is carrying very well with wind and topography alignment. Head Fire ROS in excess of 40+ chains/hr. Spotting up to 1/4 mile.

Rapid rates of spread are found with an eye level wind of 8 mph or greater.

ERC: 81 (approaching 90th percentile)

Probability of Ignition: 90%.

SPECIFIC:

Branch I (Divisions A/B/S, U): Expect smoldering and backing fire to continue against afternoon winds. Interior island activity will present challenges with variable terrain driven winds.

Branch II (Division V): General wind sheltering from Phoenix Hill allows a series of drainages to move fire with terrain driven winds in all directions. Expect increased rates of spread up the various unnamed hilltops to the north of Phoenix Hill. Head fire runs that are in alignment with wind and slope may be in excess of 40 ch/hr. Hill top torching trees will provide a spotting source to 1/4 mile.

Branch II (Divisions W, X, Y): Anticipate flanking and smoldering activity. Interior "Jackpot" fuel piles consumed along with Individual torching trees provide spotting source to 1/4 mile.

****Inversion lifting will see a significant increase in fire activity for all fire areas.****

****Possibility for plume dominated activity if fire moves into heavy fuel bed.****

AIR OPERATIONS:

Sunrise 0622 a.m. Sunset 1959 p.m.

0600-1100: weak inversion at 1500 ft msl. NE wind 10 mph above inversion.

1100-1700: mixing height to 11,000 ft msl. Transport wind Southwest 5-10 mph.

SAFETY

Keep alert to cumulus build up and possibility of gusty outflow winds.

Look for areas of topographic wind sheltering because slope will change the fire direction.

Know where you are in relation to head fire alignment.

Keep alert to hot ash pots and stump holes.

SAFETY MESSAGE

INCIDENT NAME
SWEDES INCIDENT

Date
Prepared
08/18/13

Time
Prepared
1800

OPERATIONAL PERIOD
8/19-8/20/2013 0700-0700


- **Wear ALL of your Personnel Protective Equipment.**
- **Power lines are down in the fire area. Provide complete isolation, distance and protection from hazard.**
- **Maintain attentiveness; don't be deceived by the fire's passive appearance.**
- **Drive with your headlights on at all times, follow all speed limits and traffic laws. Beware of bridge limitations on Swedes Flat Rd .**
- **Be cautious of fire weakened or partially burnt hazard trees, falling trees have been reported.**
- **Remember when following LCES, post enough lookouts to have a good vantage of the entire hazard area.**
- **Watch your footing on the fire line, maintain adequate crew spacing.**
- **Prevent dehydration by drinking frequently throughout each working hour. Plan ahead, don't allow water to run out before resupplying.**
- **Brief your crews on all the components of the IAP.**

**Ensure firefighters have good anchor points, escape routes, and safety zones.
Remember LCES.**

Lookout(s), Communication(s), Escape routes and Safety zone(s)

Prepared By:
Keith Callison

Approved By (Safety Officer) Keith Callison



ASSIGNMENT LIST (ICS 204)

1. Incident Name: SWEDES INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Date To: 08/20/2013 Time From: 0700 Time To: 0700		3. Branch: II Division: V Group: Staging Area:																			
4. Operations Personnel: Name Operations Section Chief: S. Spinharney Branch Director: M. Brown Division/Group Supervisor: J. Burrow			Contact Number Radio Radio Radio																				
5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information																			
Resource Identifier	Leader																						
STC NEU 9233C	Griffis	17	Radio	DP 5 0800																			
STC SHU 9240C	Melo	16	Radio	DP 5 0800																			
STG LMU 9224G	Lee	32	Radio	DP 5 0800																			
STG TGU 9258G	Purvis	33	Radio	DP 5 0800																			
STL SKU 9260L	Ohlau	5	Radio	DP 5 0800																			
DOZ E-78 Hertzig	Fischer	2	Radio	DP 5 0800																			
DOZ E-79 Hertzig	Hutchison	2	Radio	DP 5 0800																			
DOZ E-80 Hertzig	Briski	2	Radio	DP 5 0800																			
DOZ E-81 Lenahans	Montz	2	Radio	DP 5 0800																			
WT E-51 Jackson	Jackson	2	Radio	DP 5 0800																			
WT E-89 Double K	Koop	2	Radio	DP 5 0800																			
WT E-90 Pro Dump	Mackey	2	Radio	DP 5 0800																			
WT E-94 Orsi	Orsi	2	Radio	DP 5 0800																			
FEMT	Taylor	1	Radio	DP 5 0800																			
FEMP	Logan	1	Radio	DP 5 0800																			
DOZB	Baxter	1	Radio	DP 5 0800																			
SOFR (Branch II)	Watner	1	Radio	DP 5 0800																			
6. Work Assignments: Construct direct line. Hold and improve existing line. Identify and prep secondary lines. Identify and construct line around all spot fires. Prep and defend structures in accordance with WUI guidelines.																							
7. Special Instructions:																							
8. Communications (radio and/or phone contact numbers needed for this assignment): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Name/Function</td> <td style="width: 30%;">Primary Contact: indicate cell, pager, or radio (frequency/system/channel)</td> <td style="width: 40%;"></td> </tr> <tr> <td>CDF CMD 7 /Command</td> <td>Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16</td> <td></td> </tr> <tr> <td>VFIRE 25 /Tactical</td> <td>Radio (154.2875 RX/TX /Ch 4)</td> <td></td> </tr> <tr> <td>CDF T18 /Air to Ground</td> <td>Radio (159.3450 RX/TX /Ch 8) Tone 16</td> <td></td> </tr> <tr> <td>CALCORD /Transportation</td> <td>Radio (156.0750 RX/TX /Ch 9)</td> <td></td> </tr> <tr> <td>AIR GUARD /Emergency Use</td> <td>Radio (168.6250 RX/TX /Ch 16 or 20)</td> <td></td> </tr> </table>						Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)		CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16		VFIRE 25 /Tactical	Radio (154.2875 RX/TX /Ch 4)		CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16		CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)		AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)	
Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)																						
CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16																						
VFIRE 25 /Tactical	Radio (154.2875 RX/TX /Ch 4)																						
CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16																						
CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)																						
AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)																						
9. Prepared by: Name: <u>K. Carter</u> Position/Title: <u>RESL</u> Signature: <u>K. Carter</u>																							
ICS 204		IAP Page _____		Date/Time: 08/18/2013 2000																			

ASSIGNMENT LIST (ICS 204)

1. Incident Name: SWEDS INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Date To: 08/20/2013 Time From: 0700 Time To: 0700		3. Branch: II Division: W Group: Staging Area:													
4. Operations Personnel: Name Operations Section Chief: S. Spinharney Branch Director: M. Brown Division/Group Sup: J. Jones			Contact Number Radio Radio Radio														
5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information													
Resource Identifier	Leader																
STC MRN 9150C	Overshiner	19	Radio	DP 5 0800													
STG SHU 9243G	Willson	27	Radio	DP 5 0800													
DOZ E-68 Oferrall	Oferrall	2	Radio	DP 5 0800													
DOZ E-71 Fireline	Steinmann	2	Radio	DP 5 0800													
DOZ E-75 Kiser	Kiser	2	Radio	DP 5 0800													
DOZ E-82 Sunrise	Campell	2	Radio	DP 5 0800													
WT E-50 Frontera	Waely	2	Radio	DP 5 0800													
WT E-52 Cold Spring	Grzybowski	2	Radio	DP 5 0800													
WT E-92 Alans	Logue	2	Radio	DP 5 0800													
WT E-95 Tehama	Adams	2	Radio	DP 5 0800													
DOZB	Bondshu	1	Radio	DP 5 0800													
6. Work Assignments: Construct direct line. Hold and improve existing line. Identify and prep secondary lines. Identify and construct line around all spot fires. Prep and defend structures in accordance with WUI guidelines.																	
7. Special Instructions:																	
8. Communications (radio and/or phone contact numbers needed for this assignment): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><u>Name/Function</u></td> <td style="width: 30%;"><u>Primary Contact: indicate cell, pager, or radio (frequency/system/channel)</u></td> </tr> <tr> <td>CDF CMD 7 /Command</td> <td>Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16</td> </tr> <tr> <td>VTAC 12 /Tactical</td> <td>Radio (154.4525 RX/TX /Ch 5)</td> </tr> <tr> <td>CDF T18 /Air to Ground</td> <td>Radio (159.3450 RX/TX /Ch 8) Tone 16</td> </tr> <tr> <td>CALCORD /Transportation</td> <td>Radio (156.0750 RX/TX /Ch 9)</td> </tr> <tr> <td>AIR GUARD /Emergency Use</td> <td>Radio (168.6250 RX/TX /Ch 16 or 20)</td> </tr> </table>						<u>Name/Function</u>	<u>Primary Contact: indicate cell, pager, or radio (frequency/system/channel)</u>	CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16	VTAC 12 /Tactical	Radio (154.4525 RX/TX /Ch 5)	CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16	CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)	AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)
<u>Name/Function</u>	<u>Primary Contact: indicate cell, pager, or radio (frequency/system/channel)</u>																
CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16																
VTAC 12 /Tactical	Radio (154.4525 RX/TX /Ch 5)																
CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16																
CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)																
AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)																
9. Prepared by: Name: <u>K. Carter</u> Position/Title: <u>RESL</u> Signature: <u>K. Carter</u>																	
ICS 204	IAP Page _____	Date/Time: 08/18/2013 2000															

ASSIGNMENT LIST (ICS 204)

1. Incident Name: SWEDES INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Date To: 08/20/2013 Time From: 0700 Time To: 0700		3. Branch: II Division: X Group: Staging Area:													
4. Operations Personnel: Name Operations Section Chief: S. Spinharney Branch Director: M. Brown Division/Group Supervisor: B. Stoffel			Contact Number Radio Radio Radio														
5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information													
Resource Identifier	Leader																
STC SCU 9161C	Lubas	16	Radio	DP 6 0800													
STG LMU 9220G		33	Radio	DP 6 0800													
WT E-96 Bittersweet	Kotterman	2	Radio	DP 6 0800													
WT E-98 Marymee	Marymee	2	Radio	DP 6 0800													
6. Work Assignments: Hold and improve line. Mop up 100 feet from line. Ensure line is completed.. Prep and defend structures as needed. Identify and prep secondary lines as needed.																	
7. Special Instructions:																	
8. Communications (radio and/or phone contact numbers needed for this assignment): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><u>Name/Function</u></td> <td style="width: 30%;"><u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)</td> </tr> <tr> <td>CDF CMD 7 /Command</td> <td>Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16</td> </tr> <tr> <td>VTAC 13 /Tactical</td> <td>Radio (158.7375 RX/TX /Ch 6)</td> </tr> <tr> <td>CDF T18 /Air to Ground</td> <td>Radio (159.3450 RX/TX /Ch 8) Tone 16</td> </tr> <tr> <td>CALCORD /Transportation</td> <td>Radio (156.0750 RX/TX /Ch 9)</td> </tr> <tr> <td>AIR GUARD /Emergency Use</td> <td>Radio (168.6250 RX/TX /Ch 16 or 20)</td> </tr> </table>						<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)	CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16	VTAC 13 /Tactical	Radio (158.7375 RX/TX /Ch 6)	CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16	CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)	AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)
<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)																
CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16																
VTAC 13 /Tactical	Radio (158.7375 RX/TX /Ch 6)																
CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16																
CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)																
AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)																
9. Prepared by: Name: <u>K. Carter</u> Position/Title: <u>RESL</u> Signature: <u>K. Carter</u>																	
ICS 204	IAP Page _____	Date/Time: 08/18/2013 2000															

ASSIGNMENT LIST (ICS 204)

1. Incident Name: SWEDES INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Date To: 08/20/2013 Time From: 0700 Time To: 0700		3. Branch: II Division: Y Group: Staging Area:																			
4. Operations Personnel: <u>Name</u> Operations Section Chief: S. Spinharney Branch Director: M. Brown Division/Group Supervisor: D. McNamara			<u>Contact Number</u> Radio Radio Radio																				
5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information																			
Resource Identifier	Leader																						
STC TGU 9250C	Darnell	17	Radio	DP 7 0800																			
STG SHU 9242G	Mancebo	33	Radio	DP 7 0800																			
STG HUU 9122G	Vonglakhone	37	Radio	DP 7 0800																			
STL MRN 9151L	Waters	6	Radio	DP 7 0800																			
DOZ E-70 Fireline	Larue	2	Radio	DP 7 0800																			
DOZ E-84 Sand Creek	Wade	2	Radio	DP 7 0800																			
WT E-49 Frontera	Todd	2	Radio	DP 7 0800																			
WT E-86 Fireline	Learn	2	Radio	DP 7 0800																			
WT E-91 Pro Dump	Seaboren	2	Radio	DP 7 0800																			
WT E-99 C&H	Caldwell	2	Radio	DP 7 0800																			
DOZB	Hawkins	1	Radio	DP 7 0800																			
FELB	Denman	1	Radio	DP 7 0800																			
FALC	Long	1	Radio	DP 7 0800																			
FALC	Matney	1	Radio	DP 7 0800																			
6. Work Assignments: Hold and improve line. Mop up 100 feet from line. Ensure line is completed.. Prep and defend structures as needed. Identify and prep secondary lines as needed.																							
7. Special Instructions:																							
8. Communications (radio and/or phone contact numbers needed for this assignment): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><u>Name/Function</u></td> <td style="width: 30%;"><u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)</td> <td style="width: 40%;"></td> </tr> <tr> <td>CDF CMD 7 /Command</td> <td>Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16</td> <td></td> </tr> <tr> <td>VTAC 14 /Tactical</td> <td>Radio (159.4725 RX/TX /Ch 7)</td> <td></td> </tr> <tr> <td>CDF T18 /Air to Ground</td> <td>Radio (159.3450 RX/TX /Ch 8) Tone 16</td> <td></td> </tr> <tr> <td>CALCORD /Transportation</td> <td>Radio (156.0750 RX/TX /Ch 9)</td> <td></td> </tr> <tr> <td>AIR GUARD /Emergency Use</td> <td>Radio (168.6250 RX/TX /Ch 16 or 20)</td> <td></td> </tr> </table>						<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)		CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16		VTAC 14 /Tactical	Radio (159.4725 RX/TX /Ch 7)		CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16		CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)		AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)	
<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio (frequency/system/channel)																						
CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16																						
VTAC 14 /Tactical	Radio (159.4725 RX/TX /Ch 7)																						
CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16																						
CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)																						
AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)																						
9. Prepared by: Name: <u>K. Carter</u> Position/Title: <u>RESL</u> Signature: <u>K. Carter</u>																							
ICS 204		IAP Page _____		Date/Time: 08/18/2013 2000																			

ASSIGNMENT LIST (ICS 204)

1. Incident Name: SWEDES INCIDENT CA-BTU-010969		2. Operational Period: Date From: 08/19/2013 Date To: 08/20/2013 Time From: 0700 Time To: 0700		3. Branch: Division: Group: Staging Area: Bangor Park																			
4. Operations Personnel: <u>Name</u> <u>Operations Section Chief:</u> S. Spinharney <u>Staging Area Manager:</u> E. Ratliff <u>Division/Group Supervisor:</u>			<u>Contact Number</u> Radio Radio																				
5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information																			
Resource Identifier	Leader																						
DOZ E-36 Butte 2		2	Radio	Bangor Park																			
DOZ E-48 (Trnspt E-58)	Basham	2	Radio	Bangor Park																			
DOZ E-53		2	Radio	Bangor Park																			
DOZ E-69 (Trnspt E-101)	Turner	2	Radio	Bangor Park																			
DOZ E-72 (Trnspt E-105)	Wheeler	2	Radio	Bangor Park																			
DOZ E-73 (Trnspt E-106)	Cantell	2	Radio	Bangor Park																			
DOZ E-76 (Trnspt E-109)	Jones	2	Radio	Bangor Park																			
DOZ E-77 (Trnspt E-110)	Williams	2	Radio	Bangor Park																			
DOZ E-83 (Trnspt E-116)	Patten	2	Radio	Bangor Park																			
WT E-147 Lenahans	Danley	2	Radio	Bangor Park																			
WT E-150 Ferreira	Ferreira	1	Radio	Bangor Park																			
6. Work Assignments: Maintain 3 minute availability.																							
7. Special Instructions:																							
8. Communications (radio and/or phone contact numbers needed for this assignment): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;"><u>Name/Function</u></td> <td style="width: 30%;"><u>Primary Contact:</u> indicate cell, pager, or radio</td> <td style="width: 40%;"></td> </tr> <tr> <td><u>(frequency/system/channel)</u></td> <td></td> <td></td> </tr> <tr> <td>CDF CMD 7 /Command</td> <td>Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16</td> <td></td> </tr> <tr> <td>CDF T18 /Air to Ground</td> <td>Radio (159.3450 RX/TX /Ch 8) Tone 16</td> <td></td> </tr> <tr> <td>CALCORD /Transportation</td> <td>Radio (156.0750 RX/TX /Ch 9)</td> <td></td> </tr> <tr> <td>AIR GUARD /Emergency Use</td> <td>Radio (168.6250 RX/TX /Ch 16 or 20)</td> <td></td> </tr> </table>						<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio		<u>(frequency/system/channel)</u>			CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16		CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16		CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)		AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)	
<u>Name/Function</u>	<u>Primary Contact:</u> indicate cell, pager, or radio																						
<u>(frequency/system/channel)</u>																							
CDF CMD 7 /Command	Radio (151.4600 RX 159.3900 TX/ Ch 1) Tone 7 or 16																						
CDF T18 /Air to Ground	Radio (159.3450 RX/TX /Ch 8) Tone 16																						
CALCORD /Transportation	Radio (156.0750 RX/TX /Ch 9)																						
AIR GUARD /Emergency Use	Radio (168.6250 RX/TX /Ch 16 or 20)																						
9. Prepared by: Name: <u>K. Carter</u> Position/Title: <u>RESL</u> Signature: <u>K. Carter</u>																							
ICS 204	IAP Page _____	Date/Time: 08/18/2013 2000																					

INCIDENT RADIO COMMUNICATIONS PLAN		Incident Name SWEDES				Date/Time Prepared 8/18/2013 19:40:00 PM			Operational Period Date/Time 08/19/2013 08:20/2013 0700-0700		
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	COMMAND	CDF CMD 7	ALL DIVISIONS	151.4600 N		103.5	159.3900 N		0.0	A	TONE 7, 16
2	TACTICAL	VFIRE 24	DIV A/B/S	154.2725 N		156.7	154.2725 N		156.7	A	
3	TACTICAL	CDF TAC 1	DIV U	151.1450 N		192.8	151.1450 N		192.8	A	
4	TACTICAL	VFIRE 25	DIV V	154.2875 N		156.7	154.2875 N		156.7	A	
5	TACTICAL	VTAC12	DIV W	154.4525 N			154.4525 N		156.7	A	
6	TACTICAL	VTAC13	DIV X	158.7375 N			158.7375 N		156.7	A	
7	TACTICAL	VTAC14	DIV Y	159.4725 N			159.4725 N		156.7	A	
8	AIR TO GRD	CDF T18	ALL DIVISIONS	159.3450 N		192.8	159.3450 N		192.8	A	TONE 16
9	TACTICAL	CALCORD	ALL DIVISIONS	156.0750 N		0	156.0750 N		156.7	A	TRANSPORTATION COORD
10											
11											
12											
13											
14											
15											
16	TACTICAL	AIR GUARD	ALL DIVISIONS	168.6250			168.6250		110.9		EMERGENCY USE ONLY
17											
18											
19											
20	TACTICAL	AIR GUARD	ALL DIVISIONS	168.6250			168.6250		110.9		EMERGENCY USE ONLY
Prepared By (Communications Unit) Eddy Moore						Incident Location County Butte State CA Latitude Longitude East of Oroville					

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

MEDICAL PLAN ICS 206	1. INCIDENT NAME SWEDES	2. DATE PREPARED 8/18/13	3. TIME PREPARED 18:00	4. OPERATIONAL PERIOD 8/19-20/2013 0700-0700
---------------------------------------	-----------------------------------	-----------------------------	---------------------------	--

5. INCIDENT MEDICAL AID STATIONS

MEDICAL AID STATIONS	LOCATION	PARAMEDICS	
		YES	NO
Frontline Medical & MERT	Silver Dollar Fair Grounds	X	

6. TRANSPORTATION

A. AMBULANCE SERVICES

NAME	LOCATION	PHONE	PARAMEDICS	
			YES	NO
Butte County EMS	1530 Esplanade Chico, CA	530-332-7740	X	
Reach Air Ambulance	1400 Sky Harbor Dr, Olivehurst, CA	707-324-2503	X	
Enloe Flight Care	1531 Esplanade Dr, Chico. CA	530-332-7300	X	

B. INCIDENT AMBULANCES

NAME	LOCATION	PARAMEDICS	
		YES	NO
Butte EMS 1	Bangor Staging	X	

7. HOSPITALS

	ADDRESS	TRAVEL TIME		PHONE	HELIPAD		BURN CENTER	
		AIR	GRND		YES	NO	YES	NO
Oroville Hospital	2767 Olive Hwy Oroville, CA N 39 47.7 W 121 51.4	5	30	530-533-8500	X			X
Biggs Gridley Memorial	240 Spruce St. Gridley, CA	10	45	530-846-5671		X		X
Enloe Medical Center	1531 Esplanade Dr. Chico, CA N 39 44.5 W 121 50.9	20	60	530-332-7300	X			X
UC Davis Medical Center	2315 Stockton Blvd, Sacramento N 38 33.2 W 121 27.2	45	90	916 734-2011	X		X	

8. MEDICAL EMERGENCY PROCEDURES

EMERGENCY FREQUENCY:

LINE EMERGENCY:
Crew Supervisor will contact Division Supervisor with patient complaint/condition and location.

- Division/Group Supervisor contacts:
 1. Closest EMS resource on Fire Line
 2. Communications Unit on COMMAND
- Communications Unit contacts:
 1. Ground or Air ambulance as requested
 2. Operations
 3. Safety
 4. Medical Unit
- Division Supervisor or designee will serve as point of contact and run medical emergency utilizing CALCORD for IWI and only for duration of need.
- Communications Unit will clear command channel for emergency traffic as needed and only for duration of need.


CAMP EMERGENCY:
Contact Medical Unit with patient complaint/condition and location. Medical Staff will respond to stabilize incident:

- Medical Unit contacts:
 1. Communications
 2. Safety
 3. Logistics
 4. Operations
 5. Crew Supervisor
 6. Comps/Claims

INJURY REPORTING PROCEDURES

NATURE OF INJURY _____
 LOCATION OF PATIENT _____
 POINT OF CONTACT _____
 TRANSPORTATION REQUESTED BY: AIR ___ GROUND ___
 POINT OF PICKUP _____
 LAT _____ LONG _____
 PATIENT UNIT ID _____
 IS AN EMT WITH PATIENT: YES ___ NO ___
 AGE _____
 SEX: MALE ___ FEMALE ___

**ALL EMERGENCIES---Secure the area
and identify witnesses for later
investigation. Keep an accurate log of
events.**

ICS 206 (Rev 03/12) FR	9. PREPARED BY: (Medical Unit Leader) Jesse Winnen MEDL(T)	10. REVIEWED BY: (Safety Officer) Keith Callison SOF1 
----------------------------------	---	--

**FINANCE MESSAGE
SWEDES
CA-BTU-010969**

ALL PERSONNEL

Stop into the Time unit and update or complete your FC-33.

LOCAL GOVERNMENT REASOURCES

Need to start your F-42 paperwork.

**ALL HIRED EQUIPMENT NEEDS TO STOP IN THE TIME
UNIT.**

SHIFT TICKETS FOR HIRED EQUIPMENT MUST BE SIGNED LEGIBLY BY LINE SUPERVISORS AND TURNED IN TO EQUIPMENT TIME BY THE LINE SUPERVISORS.

**PLEASE COMPLETE EVALUATIONS FOR YOUR VENDORS
& HIRED EQUIPMENT.**

PURCHASING

ANY OFF-SITE FEEDING AND PURCHASES MUST BE APPROVED BY THE FINANCE SECTION CHIEF AND I/C.

PROPERTY DAMAGE & INJURIES

PLEASE REPORT ANY PROPERTY DAMAGE CAUSED BY SUPPRESSION ACTIVITES AND INJUIRES TO THE COMP/CLAIMS UNIT LEADER.

***TODD SHYMANSKI,
FINANCE SECTION CHIEF***

TRAINING SPECIALISTS MESSAGE

Monday, August 19 2013

A Training Specialist is on the Incident to support you. I am located in the main building next to Safety. I can be contacted at any time, on my cell cell (707) 889 - 4225, or email mike.wink@fire.ca.gov. Fill out the form below to start the process of documenting your assignment.

Trainee Name	
Request #	
ICS Assignment	
3 letter ID	
Date Assigned	
Date Released	

Trainee Agency	
Contact Person	
Phone Number	
3 letter ID	
Address	
City	
Zip Code	

Trainer Name	
Phone Number	
Trainer Agency	
ICS Assignment	
3 letter ID	
Address	
City	
Zip Code	

Trainee Goals - Tasks to be completed on this assignment

1	
2	
3	

Based on your experience, complete the Placard by answering the following questions:

Access: Does it appear to have access/egress and turnarounds for Type I fire engines?

Yes = Circle

No = Circle with diagonal slash

Address or Location:

Complete for address, or location being assessed

Water Source: Does the structure appear to have a water source for use by fire engines?

Yes = Circle (describe in the "Special Notes or Hazards" area)

No = Circle with diagonal slash

Defensible Space: Does it appear that a minimum of 100' of combustible vegetation has been cleared away from the structure?

Yes = Circle

No = Circle with diagonal slash

Civilians Present: Do civilians appear to be present at the site?

Yes = Circle (describe in the "Special Notes or Hazards" area)

No = Circle with diagonal slash

Special Notes or Hazards: Note the presence of hazards or useful pieces of information.

Date and Time: Complete

Resource ID: Complete using agency identifier and unit ID.

If conditions change, and as time and resources permit, you may complete a new placard and place it over the top of the previous placard.

Placard should be printed on yellow card stock preferably 60 lb. minimum.

Instructions for use

Type I Engine Access?	3246 Oak St.
Address or Location	
Water Source? Define Below	100 Feet Defensible Space?
Special Notes or Hazards:	
<i>Wood pile under deck on west side</i> <i>Pool in back no vehicle access</i>	
Date	7/10/09
Time	1645
Resource ID	SAC-E17

The final decision to defend a structure is always up to the assigned resource



FIRING OPERATION CHECKLIST

Location: _____

Date: _____ Time: _____

Firing Supervisor _____

1. Personnel Briefing

- Objectives
- Conditions (fire environment)
- Resource assignments identified
 - Firing personnel
 - Holding forces
 - Lookouts
- Ignition plan/sequence
- Communication Plan
- Contingency Plan
- Safety issues

2. Go / No-Go

- All personnel briefed
- Weather forecast reviewed
- Resources in place
- Lookouts posted as needed
- Anchor and termination firing points identified
- Communications systems in place
- Fire behavior forecast reviewed
- Escape routes and safety zones established and made known
- Adjoining forces/Air Attack notified

3. Approval Prior To Firing

- Division Supervisor
- Branch Director
- Operations

4. Other Notifications

- Other: _____
- Other: _____

Attach Firing Operations Checklist to ICS-214

Instructions for Use of CDF 101 Property Certification of Location or Damage

Document Number: for use as a local number system or when attached to a FC-40 document.

Location / Incident Name: Enter the CDF facility property is assigned to. If submitting to an incident base, enter the Incident Name.

Incident Number: Enter the appropriate incident number

Unit: Enter the Unit the property is assigned to. If submitting to an incident base, enter the request number of the person certifying damage example E-320, C-14 or O-355.

Region: Enter the CDF Region where the property was assigned. If submitting to an incident base, enter the CDF Region responsible for the incident.

Date: Enter the date the P.L. or D. was completed.

The following items were: Enter either 'Broken', 'Left on Line', 'Damaged' or other status of the property.

Reminder, this form cannot be used in place of the STD-152 to certify Lost, Stolen, Worn Out or Damaged beyond repair property.

Date of Occurrence: Enter the date the property was broken, left on line or damaged.

Quantity: Enter the quantity for the line item.

Unit of Measure: Enter the unit of measure for the line item (example ea = each).

CDF Stock Number: Enter the PIN or stock number.

Description: Enter the description of the line item, indicate size, make, model and type. Clearly describe the item and provide adequate data to effectively identify equipment or property.

Property Number: Enter the CDF property number assigned to the line item, Capitalized or sensitive property must have their property number entered here.

Location of Items: Where is the property now (example, left on Division B night shift 8/1/04, Drop Point 2). A GPS coordinate, Station 22 or Unit Service Center may also be used to describe Location.

Remarks: Enter specific remarks here, how was the property damaged, what specifically is wrong with it.

Signature of Person Certifying Occurrence as Described:

Signature: The CDF Employee certifying the occurrence must sign.

Printed Name: Enter the printed name of the signature.

Title: Enter the title of the signature.

Date: Enter the date of the signature.

Unit Supervisors Approval:

If submitted on an incident this section must be completed by the supervisor of the property custodian. This may be the Strike Team Leader, Division Supervisor, Receiving and Distribution Manager, Supply Unit Leader, Logistics Section Chief, Agency Representative or Incident Commander.

If submitted at the home Unit this section must also be completed by the supervisor of the property custodian. This may be a Battalion or Division Chief.

Comments: Supervisors may enter comments of approval or disapproval.

Signature of Unit Administrator: Signature of Unit Supervisor reviewing the certification described.

Title: Title of the signature.


Date: Date of the signature.

Notes:

This document is NOT required if exchanging property at an incident base with the exception of capitalized or sensitive property assigned a CDF property number.

This document is required as certification when submitting an MRT to your local Service Center for replacement of property.

An OF-315 (Incident Replacement Requisition) is required as authorization to purchase fire replacement items at your local Unit. This document is required when submitting an MRT to you local Service Center for fire replacement items. A CDF-101 and/or A STD-152 are required for the certification of the status of property being requisitioned for replacement.



- **1. Start out going east on E Park Ave toward Country Dr. [Map](#)**

0.1 Mi
0.1 Mi Total
- ↑↑

2. Merge onto CA-99 S. [Map](#)

8.5 Mi
8.6 Mi Total
- ↑

3. Take CA-149 S toward Oroville / Marysville. [Map](#)

5.5 Mi
14.0 Mi Total
- ↑

4. CA-149 S becomes CA-70 S. [Map](#)

5.9 Mi
19.9 Mi Total
- EXIT 46

5. Take the CA-162 / Oroville Dam Blvd exit, EXIT 46. [Map](#)

0.3 Mi
20.2 Mi Total
- ↶

6. Turn left onto CA-162 / Oroville Dam Blvd E / CA-70-BR. Continue to follow CA-162 / Oroville Dam Blvd E. [Map](#)
If you reach CA-70 S you've gone about 0.2 miles too far

1.7 Mi
22.0 Mi Total
- ↷

7. Turn right onto CA-162. [Map](#)
*CA-162 is 0.1 miles past Spencer Ave
Bank of the West is on the corner
If you reach Gilmore Ln you've gone about 0.1 miles too far*

5.3 Mi
27.3 Mi Total
- ↷

8. Turn right onto Miners Ranch Rd. [Map](#)
*Miners Ranch Rd is 0.2 miles past Saddle Dr
If you are on CA-162 and reach Old Olive Hwy you've gone about 0.1 miles too far*

2.5 Mi
29.8 Mi Total
- ↶

9. Turn left onto Oroville Bangor Hwy. [Map](#)
*Oroville Bangor Hwy is 0.1 miles past Caroline Dr
If you are on Foothill Blvd and reach Dunstone Dr you've gone about 0.8 miles too far*

0.1 Mi
30.0 Mi Total

SWEDES TRAVEL MAP

**THIS PAGE
INTENTIONALLY
LEFT BLANK**

