

Incident Action Plan  
ROCKY CA-LNU-006984  
JERUSALEM CA-LNU-007410



Operational Period

8/18/15 – 8/23/15

0700 – 0700



[Tiny.cc/Rockyfire](http://Tiny.cc/Rockyfire)



<b>INCIDENT OBJECTIVES</b>	1. Incident Name <b>Rocky CA-LNU 006984</b> <b>Jerusalem CA-LNU-007410</b>	2. Date <b>08/17/15</b>	3. Time <b>2000</b>
	4. Operational Period <b>08/18/15 – 08/23/15 0700-0700</b>		
5. General Control Objectives for the Incident (include alternatives) <b>Management Objectives</b> <ul style="list-style-type: none"> <li>• Establish and maintain safe work practices to minimize threats to the public and emergency personnel.</li> <li>• Minimize damage to structures, private property and other improvements in the fire area.</li> <li>• Protect natural and heritage resources.</li> <li>• Maintain cost accountability.</li> <li>• Provide timely and accurate incident information.</li> </ul> <b>Rocky Control Objectives</b> <ul style="list-style-type: none"> <li>• Keep the fire within the current fire perimeter.</li> </ul> <b>Jerusalem Control Objectives</b> <ul style="list-style-type: none"> <li>• Keep the fire within the current fire perimeter.</li> </ul>			
6. Operational Period Command Emphasis:			
7. General Safety Message <b>See attached Safety Message</b>			
8. Attachments (mark if attached)			
<input checked="" type="checkbox"/> Organization List - ICS 203	<input checked="" type="checkbox"/> Medical Plan - ICS 206	<input checked="" type="checkbox"/> (Other)	
<input checked="" type="checkbox"/> Div. Assignment Lists - ICS 204	<input checked="" type="checkbox"/> Incident Map	<input type="checkbox"/>	
<input checked="" type="checkbox"/> Communications Plan - ICS 205	<input checked="" type="checkbox"/> Traffic Plan	<input type="checkbox"/>	
9. Prepared by (Planning Section Chief) <b>Roger Noon</b>	10. Approved by (Incident Commander) <b>Mike Wink</b>		






# JERUSALEM / ROCKY INCIDENT WEATHER FORECAST



**FORECAST NO:** 18 D/N  
**PREDICTION FOR:** Tuesday – Saturday Outlook

**INCIDENT NAME:** Jerusalem Fire  
**UNIT:** CALFIRE Sonoma-Lake-Napa Unit

**SHIFT DATE:** 18 August 2015  
**TIME AND DATE**  
**FORECAST ISSUED:** 1700 / 17 August 2015

**SIGNED:**   
Jason Clapp  
Incident Meteorologist

*If weather becomes unrepresentative, contact NWS Sacramento fire wx desk (916) 979-3047 or submit new spot request @ <http://www.wrh.noaa.gov/firewx/main.php> (see QR codes below)*

### WEATHER TODAY (TUESDAY):

**WEATHER:** Hot and dry, with some lingering smoke under this ridge. Generally, terrain-driven winds today. NE ridge winds becoming SW by late afternoon...then northerly again overnight. Imported smoke from northwest California fires may continue to drift over the region.

**TEMPERATURES:** 97-100 *Trend: Little Change*  
**RELATIVE HUMIDITY:** 12-16% *Trend: Up 2 – 3%*

### **EYE LEVEL WINDS:**

**RIDGETOP** – NNE 1-3 mph...gusts to 4-6 mph, shifting W-SW 3-6 mph w/ gusts to 10 mph in the afternoon. Then becoming light NW-NE toward 2200.

**SLOPE/VALLEY** – Upslope/upcanyon 2-4 mph and eddying with gusts to 7 mph in aligned canyons, then shifting downslope after 2100.

**LAL: 1 STABILITY/INVERSION:** Inversion lifting around 1200...then plenty of dust devils  
**SMOKE TRANSPORT WIND:** NNW around 5 mph becoming S-SW in the afternoon.

**WEATHER FOR TONIGHT AFTER 2200:** Lingering smoke from fires up north.  
**Low temperatures:** 65-72 **Max RH:** 45-60%. **Eye level Winds:** N-NE 1-3 mph, gusts to 6 mph toward sunrise.

**WEATHER DISCUSSION:** Upper ridge over southern California bringing some high level clouds. Slightly stronger SW ridge winds late today as the marine layer and Delta Breeze strengthen, so expect some improvement in daytime RH. An upper level trough from western Canada influences area Wednesday-Friday by lowering temperature and increasing humidity. Then the desert SW U.S. ridge builds again over the weekend.

### **OUTLOOK FOR WEDNESDAY/SATURDAY:**

**Wednesday-Friday:** An upper trough influences northern California, resulting in a slight cooling trend with SW winds increasing humidity due to marine influence.  
**High temps:** 88-94. **Max/ Min RH:** 55-75% / 18-25%. **Winds:** NE ridge winds 1-3 mph gusting to 6 mph shifting SE, then SW late in the afternoon with gusts to 10-15 mph. Then winds shift NW-NE 2-5 mph toward midnight.

**Friday Night-Saturday:** Upper trough into Great Basin generating NE winds and low RH.  
**High temps:** 92-95. **Max/ Min RH:** 40-50% / 15-19%. **Winds:** NE ridge winds 3-6 mph gusting to 12 mph (strongest 0400-1000), then weakening and potentially shifting SW 2-4 mph late in the afternoon with gusts to 7 mph.

### Planning Wx Outlook



### Nearby Wx Observations



### Spot Wx Request



# FIRE BEHAVIOR OUTLOOK

<b>FIRE NAME:</b> ROCKY/JERUSALEM Fires	<b>OUTLOOK PERIOD (valid time period):</b> 8/18-8/22/2015
<b>DATE ISSUED:</b> August 17, 2015	<b>TIME ISSUED:</b> 1800
<b>UNIT:</b> ROCKY.....CA-LNU-006984 JERUSALEM.....CA-LNU-007410	<b>SIGNED:</b> <b>Typed/printed:</b> Jeff Shelton, FBTS/LTAN, Steve Volmer FBAN-T

**WEATHER/CLIMATOLOGY DISCUSSION:** High pressure will result in drier southwesterly upper level flow; minimizing any thunderstorm chances for the region. Very little change to the day to day pattern except for a slight cooling trend into the weekend with temperatures falling back to seasonable, but still very warm/dry conditions. Winds will be 6-10 mph up-canyon by afternoon over the next few days.

- Tuesday: Max Temps. 98 degrees, Min. RH 12%, Upslope winds SSW 8 mph gusts 13 mph.
- Wednesday: Max Temps. 94 degrees, Min. RH 18%, Upslope winds SW 6 mph gusts 10 mph.
- Thursday: Max Temps. 92 degrees, Min. RH 23%, Upslope winds SW 8 mph gusts 14 mph.
- Friday: Max Temps. 90 degrees, Min. RH 25%, Upslope winds SW 6 mph gusts 12 mph.
- Saturday: Max Temps. 93 degrees, Min. RH 15%, Upslope winds NE 6 mph gusts 12 mph.


**FIRE BEHAVIOR DISCUSSION (Peak Burn Period Extremes):**

Short Range (Today, Tomorrow) and Medium Range (3 Days):

	Max. Flame Length	Max. Rate of Spread	Spotting	Probability of Ignition
Grass (Low Load)	< 8'	130 ft/min	< .3 mile	80-90%
Grass (Moderate Load)	< 15'	262 ft/min	< .5 mile	80-90%
Brush (<15 years old)	< 23'	167 ft/min	< .6 mile	80-90%
Brush (>15 years old)	< 22'	110 ft/min	< .6 mile	80-90%

**\*\*minimum safety zone size in brush is 1 acre, in grass fuels .5 acres for a Strike Team of Engines.**

Moderate probability for large fire development. Expect fires to be mainly fuels dominated and may move into extended attack. Direct attack tactics should be attempted with caution. Fire growth will be dependent upon amounts of decadent brush in the area. Vegetation that has an age class of 15 years or greater should be identified to support larger fire growth and containment challenges. Surprisingly fast rates of spread may develop with the alignment of wind, slope and solar pre-heating. Alignments must be identified for safe engagement.



**Smoke Concerns:** Upper level 5-10 mph transport winds from the SW till Thursday, then changing to the North on Saturday maintaining the same wind speed and a 5500'-6000' AGL mixing height.

**Reassessment Criteria:** Changing weather and conditions past the August 20th expiration date of this forecast.

## SAFETY

**Light Fuels React Very Quickly to Changes in Humidity and Temperature. Plan Ahead!**



5 Day

# SAFETY and HEALTH MESSAGE



We Are ALL SAFETY OFFICERS!

INCIDENT: Jerusalem Fire CA-LNU-007410

DATE: August 18, 2015 to August 22, 2015  
TIME: **0700-0700**

## **Major Hazards and Risks: Complacency, Fatigue, Hazard Trees, & Ash Pots.**

**Personnel:** Manage yourself and those around you for fatigue; many have deployed for extended periods. Follow the 2:1 work/rest guidelines. As fatigue increases, injuries tend to increase also. Keep an eye on those under your supervision and those around you.

**Complacency:** ALL PPE must be worn, including shrouds, when working on the fire line. Mop up requires your situational awareness even without active fire. Unburnt fuels can reignite suddenly and turn against you.

**Communications:** Constantly monitor the Command channel for Initial Attack requests in the Unit.

**Hydration:** By the time your body tells you it's time to drink – you are already DEHYDRATED!!! On a regular basis drink fluids to maintain an appropriate energy level for any expected work assignment.

**Hazard trees:** Survey your work areas for any tree damaged by fire, flag and restrict access, use only qualified personnel for tree felling. Review and follow **Hazard Tree Safety**, pg. 22-23 in your IRPG.

**Ash Pots:** the droughts stricken fuels consumed entirely by fire are creating flat ash pots with hot coals underneath. Watch your footing. Wear full PPE when working ash pots.

### Tailgate Safety

- **Accountability:** everyone checks in and everyone checks out. Supervisors know where their crews are at all times
- **Communication:** everyone knows the com-plan
- **Briefing:** everyone knows the game plan, everyone knows the contingency plan
- **Safety gear:** everyone has the appropriate safety gear and in good working condition
- **LCES:** they are clear and made known to everyone

### Heat Illness Prevention:

- **Drink plenty of fluids:**
  - Water and Gatorade
- **Rest when you can.**
- **Find shade when you can**
- **Eat nutritious food regularly**

Incident Safety Officer: Chad Thompson SOF2(T)

Deputy Incident Commander: Scott Lindgren 





5 Day




**JERUSALEM INCIDENT RISK ANALYSIS (ICS 215a)**

BR	HAZARDOUS ACTIONS / CONDITIONS	MITIGATIONS / WARNINGS / REMEDIES
ALL	<b>DRIVING HAZARDS</b>	<ul style="list-style-type: none"> <li>• <b>Slow Down!</b> All roads are open to the public.</li> <li>• Drive defensively! Expect the unexpected around every curve.</li> <li>• Drive with headlights and seatbelts on.</li> <li>• Narrow dirt roads with limited passing room. Coordinate your movements on one lane roads.</li> <li>• Use warning devices when operating near traffic.</li> </ul>
ALL	<b>MOP UP</b>	<ul style="list-style-type: none"> <li>• Conduct thorough briefing for all personnel (inside rear cover of IRPG).</li> <li>• Use all required PPE, including eye protection and gloves.</li> <li>• Maintain proper spacing between crew members and between crews and heavy equipment.</li> <li>• Be alert for stump holes and root cavities (ash pots).</li> <li>• Evaluate unburned islands and maintain Situational Awareness.</li> </ul>
ALL	<b>FATIGUE/HEAT/DEHYDRATION</b>	<ul style="list-style-type: none"> <li>• Be alert for signs of fatigue and take breaks as necessary.</li> <li>• Monitor incoming resources for level of fatigue. Drink water before, during and after shifts, up to 1.5 gal. per shift.</li> <li>• Be alert for signs of heat stress in yourself and others; use the buddy system.</li> <li>• Eat small meals often and when possible</li> <li>• Drink electrolyte drinks at a 3 water to 1 sport drink ratio.</li> </ul>
ALL	<b>STEEP TERRAIN</b>	<ul style="list-style-type: none"> <li>• Watch your footing while hiking and working in steep terrain.</li> <li>• Be careful of loose and rolling debris and communicate to crews downhill.</li> <li>• Maintain Situational Awareness.</li> </ul>
ALL	<b>HAZARD TREES</b>	<ul style="list-style-type: none"> <li>• Identify and Isolate the area to provide for the safety of others.</li> <li>• Flag and make proper notifications.</li> <li>• Do Not park under hazard trees, maintain Situational Awareness</li> <li>• Do Not Fall trees out of your certification level.</li> </ul>
ALL	<b>BACK HAUL OPERATIONS</b>	<ul style="list-style-type: none"> <li>• Use proper lifting techniques</li> <li>• Watch out for stump-holes, trip hazards, and loose footing</li> </ul>
ALL	<b>PERFORM TAIL GATE SAFETY MEETINGS</b>	<ul style="list-style-type: none"> <li>• Everyone should be briefed on the conditions and circumstances regarding the fire and their assignments per the IRPG.</li> <li>• Ensure all personnel have PPE, food, and water.</li> </ul>
ALL	<b>HEAVY EQUIPMENT SAFETY</b>	<ul style="list-style-type: none"> <li>• Watch for rolling material.</li> <li>• Monitor safe working distances.</li> <li>• Avoid working below Dozer and Excavators.</li> <li>• Utilize communication with the operator (radio or hand signals)</li> </ul>
Incident Name: <b>Jerusalem CA-LNU-007410</b>  ICS 215a		DATE PREPARED: <b>August 17, 2015 1600hrs</b>  Prepared by: Chad Thompson, Team 2 SOF2(T)
		OPERATIONAL PERIOD <b>August 18, 2015 to August 22, 2015</b>  <b>0700-0700</b>

<b>DIVISION ASSIGNMENT LIST</b>		1. Branch		2. Division/Group <b>Rocky FSR 1 of 3</b>			
3. Incident Name <b>Rocky</b>		4. Operational Period Date: 8/18/2015 to 8/23/2015 Time: 0700-0700					
5. Operations Personnel							
Incident Commander		<b>Mike Wink*</b>		Division/Group Supervisor		<b>Megan Scheeline*</b>	
Branch Director				Branch Safety			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line	
RESP*	Colin Noyes	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
RESP*	Tim Holiday	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
RESP*	Eric Just	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
RESP*	Kevin Conway	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
RESP*	Nick Kent	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
FOBS*	Edwin Simpson	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
FOBS*	James Scheid	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
FOBS*	Brian Ham	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
FOBS*	James May	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
FOBS*	Patrick Mcdaniel	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
CRW LNU Konocti 4*	Kevin Ryan	16	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
7. Control Operations Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.							
8. Special Instructions <b>Back haul hose and trash to drop points</b> <b>Gates that are closed should remain closed</b> <b>All FSR Resources are 12 hour; 0700-1900</b> <b>Limit ground disturbing activities in area marked with green flagging.</b>							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	RX 151.2650	King NIFC	CDF C2	EMS	RX/TX 156.0750	King NIFC	CALCORD
	Tone 1						
	TX 159.3300				PL 156.7 TX/RX		
Tactical Div/Group	RX/TX 154.2875	King NIFC	VFIRE 25	Air to Ground	RX/TX 159.2250	King NIFC	CDF TAC 14
	PL 156.7 TX/RX				PL 192.8 TX/RX		
Prepared by (Resource Unit Ldr.) Ed Orre		Approved by (Planning Sect. Ch.) Roger Noon 			Date 8/17/2015	Time 1400	

<b>DIVISION ASSIGNMENT LIST</b>		1. Branch		2. Division/Group <b>Rocky FSR 2 of 3</b>			
3. Incident Name <b>Rocky</b>		4. Operational Period Date: 8/18/2015 to 8/23/2015 Time: 0700-0700					
5. Operations Personnel							
Incident Commander		<b>Mike Wink*</b>		Division/Group Supervisor		<b>Megan Scheeline*</b>	
Branch Director				Branch Safety			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line	
<b>Grader PVT E-419 *</b>	Juan Gonzalez	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-463 *</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-467 *</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-468 *</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-469*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-474 *</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Excavator PVT E-511*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-481*</b>	David Whiteley	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-482*</b>	Robert Dominikus	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-490*</b>	Tim Hatler	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-491*</b>	Tim Dietz	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-492*</b>	Rick Rodgers	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-493*</b>	West Monte	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
7. Control Operations							
Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.							
8. Special Instructions							
<b>Back haul hose and trash to drop points</b>							
<b>Gates that are closed should remain closed</b>							
<b>All FSR Resources are 12 hour; 0700-1900</b>							
<b>Limit ground disturbing activities in area marked with green flagging.</b>							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	<b>RX 151.2650</b>	King NIFC	<b>CDF C2</b>	EMS	<b>RX/TX 156.0750</b>	King NIFC	<b>CALCORD</b>
	<b>Tone 1</b>				<b>PL 156.7 TX/RX</b>		
Tactical Div/Group	<b>RX/TX 154.2875</b>	King NIFC	<b>VFIRE 25</b>	Air to Ground	<b>RX/TX 159.2250</b>	King NIFC	<b>CDF TAC 14</b>
	<b>PL 156.7 TX/RX</b>				<b>PL 192.8 TX/RX</b>		
Prepared by (Resource Unit Ldr.)		Approved by (Planning Sect. Ch.)			Date	Time	
Ed Orre		Roger Noon 			8/17/2015	1700	

<b>DIVISION ASSIGNMENT LIST</b>			1. Branch		2. Division/Group <b>Rocky FSR 3 of 3</b>		
3. Incident Name <b>Rocky</b>			4. Operational Period Date: 8/18/2015 to 8/23/2015 Time: 0700-0700				
5. Operations Personnel							
Incident Commander		<b>Mike Wink*</b>		Division/Group Supervisor		<b>Megan Scheeline*</b>	
Branch Director				Branch Safety			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line	
<b>DOZ PVT E-494*</b>	Zac Lomollie	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-495*</b>	Mel Emmerson	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-496*</b>	Chad Johnson	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-497*</b>	Shane Kirckland	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-498*</b>	Jerry Lynch	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-499*</b>	David Neese	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-130*</b>	Doug Cotterman	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-134*</b>	Beda Garman	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-135*</b>	Ryan Grable	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-138*</b>	Travis Fortner	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-207*</b>	Paul Swartz	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
7. Control Operations Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.							
8. Special Instructions <b>Back haul hose and trash to drop points</b> <b>Gates that are closed should remain closed</b> <b>All FSR Resources are 12 hour; 0700-1900</b> <b>Limit ground disturbing activities in area marked with green flagging.</b>							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	<b>RX 151.2650</b>	King NIFC	<b>CDF C2</b>	EMS	<b>RX/TX 156.0750</b>	King NIFC	<b>CALCORD</b>
	<b>Tone 1</b>				<b>PL 156.7 TX/RX</b>		
	<b>TX 159.3300</b>						
Tactical Div/Group	<b>RX/TX 154.2875</b>	King NIFC	<b>VFIRE 25</b>	Air to Ground	<b>RX/TX 159.2250</b>	King NIFC	<b>CDF TAC 14</b>
	<b>PL 156.7 TX/RX</b>				<b>PL 192.8 TX/RX</b>		
Prepared by (Resource Unit Ldr.) Ed Orre		Approved by (Planning Sect. Ch.) Roger Noon 			Date 8/17/2015	Time 1700	

<b>DIVISION ASSIGNMENT LIST</b>	1. Branch	2. Division/Group
		<b>Jerusalem</b>

3. Incident Name	4. Operational Period
<b>Jerusalem</b>	Date: 8/18/2015 to 8/23/2015 Time: 0700-0700

5. Operations Personnel			
Incident Commander	<b>Mike Wink*</b>	Division/Group Supervisor	
Branch Director		Branch Safety	

6. Resources Assigned this Period						
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line
<b>STC LNU 9140C*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
STC MEU 9113C (Odd)			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
STC SCU 9161C (Even)			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>STG LNU 9142G*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>STG NDF 4500G*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>WT PVT E-8*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>WT PVT E-72*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>

7. Control Operations

Maintain current containment lines

Extinguish all smokes seen from roadway

Mop-up 150 feet.

Id Fire Suppression Needs

8. Special Instructions


**Back haul hose and trash to drop points**


**Gates that are closed should remain closed**

**All FSR Resources are 12 hour; 0700-1900**

**Limit ground disturbing activities in area marked with green flagging.**

9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	RX 151.2650	King NIFC	CDF C2	EMS	RX/TX 156.0750	King NIFC	CALCORD
	Tone 1,13,15						
	TX 159.3300				PL 156.7 TX/RX		
Tactical Div/Group	RX/TX 154.3025	King NIFC	VFIRE 26	Air to Ground	RX/TX 159.2250	King NIFC	CDF T14
	PL 156.7 TX/RX				PL 192.8 TX/RX		

Prepared by (Resource Unit Ldr.)	Approved by (Planning Sect. Ch.)	Date	Time
Ed Orre	Roger Noon 	8/17/2015	1700

<b>DIVISION ASSIGNMENT LIST</b>		1. Branch		2. Division/Group <b>Jerusalem FSR 1 of 3</b>			
3. Incident Name <b>Jerusalem</b>		4. Operational Period Date: 8/18/2015 to 8/23/2015 Time: 0700-0700					
5. Operations Personnel							
Incident Commander		<b>Mike Wink*</b>		Division/Group Supervisor		<b>Megan Scheeline*</b>	
Branch Director				Branch Safety			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line	
<b>RESP*</b>	Damon Denman	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>RESP*</b>	Dominik Schwab	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS*</b>	Guy Anderson	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS*</b>	James McDaniel	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS*</b>	Ken Margiott	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS (T)*</b>	Jeff Finney	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS (T)*</b>	JP Gassiot	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>FOBS*</b>	Alexander Sperlich	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>HEQB*</b>	Christopher Beery	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>HEQB*</b>	Jacob Botts	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>HEQB (T)*</b>	Mark Todd	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>HEQB*</b>	Jake Bibby	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>HEQB (T)*</b>	Jason Buck	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
7. Control Operations							
Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.							
8. Special Instructions							
<b>Back haul hose and trash to drop points</b>							
<b>Gates that are closed should remain closed</b>							
<b>All FSR Resources are 12 hour; 0700-1900</b>							
<b>Limit ground disturbing activities in area marked with green flagging.</b>							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	<b>RX 151.2650</b>	King NIFC	<b>CDF C2</b>	EMS	<b>RX/TX 156.0750</b>	King NIFC	<b>CALCORD</b>
	<b>Tone 1</b>				<b>PL 156.7 TX/RX</b>		
Tactical Div/Group	<b>RX/TX 154.2875</b>	King NIFC	<b>VFIRE 25</b>	Air to Ground	<b>RX/TX 159.2250</b>	King NIFC	<b>CDF TAC 14</b>
	<b>PL 156.7 TX/RX</b>				<b>PL 192.8 TX/RX</b>		
Prepared by (Resource Unit Ldr.)		Approved by (Planning Sect. Ch.)			Date	Time	
Ed Orre		Roger Noon 			8/17/2015	1700	

<b>DIVISION ASSIGNMENT LIST</b>	1. Branch	2. Division/Group <b>Jerusalem FSR 2 of 3</b>
---------------------------------	-----------	--

3. Incident Name <b>Jerusalem</b>	4. Operational Period Date: <b>8/18/2015</b> to <b>8/23/2015</b> Time: <b>0700-0700</b>
--------------------------------------	--

5. Operations Personnel			
Incident Commander	<b>Mike Wink*</b>	Division/Group Supervisor	<b>Megan Scheeline*</b>
Branch Director		Branch Safety	

6. Resources Assigned this Period						
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line
<b>CRW NPX SAMOA 61*</b>	Wendy Joslin	23	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>Excavator E-272*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>Excavator E-273*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>Excavator E-275*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>Back Hoe*</b>		1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-17*</b>	Bob Leavitt	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-18*</b>	Martin Wade	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-21*</b>	John Dillsaver	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-24*</b>	Darran Schnetzer	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-25*</b>	Rodger Wheeler	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-39*</b>	Randy Harkness	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>
<b>DOZ PVT E-40*</b>	Bruce Ingram	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>

7. Control Operations Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.
--

8. Special Instructions <b>Back haul hose and trash to drop points</b> <b>Gates that are closed should remain closed</b> <b>All FSR Resources are 12 hour; 0700-1900</b> <b>Limit ground disturbing activities in area marked with green flagging.</b>
--

9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	<b>RX 151.2650</b>	King NIFC	<b>CDF C2</b>	EMS	<b>RX/TX 156.0750</b>	King NIFC	<b>CALCORD</b>
	<b>Tone 1</b>				<b>PL 156.7 TX/RX</b>		
Tactical Div/Group	<b>RX/TX 154.2875</b>	King NIFC	<b>VFIRE 25</b>	Air to Ground	<b>RX/TX 159.2250</b>	King NIFC	<b>CDF TAC 14</b>
	<b>PL 156.7 TX/RX</b>				<b>PL 192.8 TX/RX</b>		

Prepared by (Resource Unit Ldr.) Ed Orre	Approved by (Planning Sect. Ch.) Roger Noon	Date 8/17/2015	Time 1700
---	--	-------------------	--------------

<b>DIVISION ASSIGNMENT LIST</b>		1. Branch		2. Division/Group <b>Jerusalem FSR 3 of 3</b>			
3. Incident Name <b>Jerusalem</b>		4. Operational Period Date: 8/18/2015 to 8/23/2015 Time: 0700-0700					
5. Operations Personnel							
Incident Commander		<b>Mike Wink*</b>		Division/Group Supervisor		<b>Megan Scheeline*</b>	
Branch Director				Branch Safety			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designat	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	On Line	Off Line	
<b>DOZ PVT E-42*</b>	John Montz	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-43*</b>	Luis Arias	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-44*</b>	Robert Jones	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-45*</b>	Randy Strieff	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-115*</b>	Tom Jones	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>DOZ PVT E-116*</b>	Toby Adams	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>Chipper*</b>			Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-9*</b>	Travis Coleman	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-10*</b>	Nicky Settlemire	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-11*</b>	Bruce Fields	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-12*</b>	Tracy Layton	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
<b>WT PVT E-15*</b>	Dennis Pinkston	1	Konocti 0700		<input type="checkbox"/>	<input type="checkbox"/>	
7. Control Operations Follow the Fire Suppression Repair plan per Group Supervisor Scheeline.							
8. Special Instructions <b>Back haul hose and trash to drop points</b> <b>Gates that are closed should remain closed</b> <b>All FSR Resources are 12 hour; 0700-1900</b> <b>Limit ground disturbing activities in area marked with green flagging.</b>							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	<b>RX 151.2650</b>	King NIFC	<b>CDF C2</b>	EMS	<b>RX/TX 156.0750</b>	King NIFC	<b>CALCORD</b>
	<b>Tone 1</b>				<b>PL 156.7 TX/RX</b>		
	<b>TX 159.3300</b>						
Tactical Div/Group	<b>RX/TX 154.2875</b>	King NIFC	<b>VFIRE 25</b>	Air to Ground	<b>RX/TX 159.2250</b>	King NIFC	<b>CDF TAC 14</b>
	<b>PL 156.7 TX/RX</b>				<b>PL 192.8 TX/RX</b>		
Prepared by (Resource Unit Ldr.) Ed Orre		Approved by (Planning Sect. Ch.) Roger Noon		Date 8/17/2015	Time 1700		



<b>MEDICAL PLAN</b> <b>ICS 206</b>	1. INCIDENT NAME <b>Rocky/Jerusalem</b>	2. DATE PREPARED 8/16/15	3. TIME PREPARED 1750	4. OPERATIONAL PERIOD 08/18/15 0700- 8/22/15 0700
	<b>5. INCIDENT MEDICAL AID STATIONS</b>			

MEDICAL AID STATIONS	LOCATION	PARAMEDICS	
		YES	NO
Frontline Medical Trailer	Incident Base	X	

**6. TRANSPORTATION**

**A. AMBULANCE SERVICES**

NAME	LOCATION	PHONE	PARAMEDICS	
			YES	NO
North Shore Fire Protection District	6257 7 <sup>th</sup> Street Lucerne, CA 95458	(707) 274-3100	X	
Lakeport Fire Protection District	445 N. Main Street Lakeport, CA 95453	(707) 263-4396	X	
Lake County Fire Protection District	14815 Olympic Drive Clearlake, CA 95422	(707) 994-2170	X	
Kelseyville Fire Protection District	4020 Main Street Kelseyville, CA 95451	(707) 279-4268	X	

**B. INCIDENT AMBULANCES**

NAME	LOCATION	PARAMEDICS	
		YES	NO
CAL Fire Copter 104 (1 <sup>st</sup> choice, Day Only)	Rocky Incident		X
CHP H30 or H32 (Day Hoist)	Napa County Airport (25 min flight time)	X	
National Guard 825 (Day/ Night- Hoist Capable)	Redding (45 min flight time)	X	
	Utilize Local Resources/ St. Helena for Ambulance Needs	X	

**7. HOSPITALS**

NAME Med Net Channel	ADDRESS	TRAVEL TIME		PHONE	HELIPAD		BURN CENTER	
		AIR	GRND		YES	NO	YES	NO
St. Helena Clearlake	15630 18 <sup>th</sup> Ave. Clearlake	5	15	(707) 994-6486	X			X
Sutter Lakeside	5176 Hill Road, Lakeport	10	45	(707) 262-5000	X			X
UC Davis Medical Center (Trauma)	2315 Stockton Blvd. Sacramento 38°33.301'Lat / 121°27.373'Long	20	1.5	(916) 734-2011	X		X	
Santa Rosa Memorial Level II (Trauma)	1165 Montgomery Dr. Santa Rosa 38°26.615'Lat / 122°42.075'Long	15	1.5	(707) 546-3210	X			X

**8. MEDICAL EMERGENCY PROCEDURES**

**EMERGENCY FREQUENCY:**

**LINE EMERGENCY:**  
Crew Supervisor will contact Division Supervisor with patient complaint/condition and location.

- Division/Group Supervisor contacts:
  - Closest EMS resource
  - Communications Unit
- Communications Unit contacts:
  - Ground or Air ambulance as requested
  - Operations
  - Safety
  - Medical Unit
- Division Supervisor or designee will serve as point of contact and run medical emergency on assigned channel.
  - A pre-assigned tactical frequency (i.e. CALCORD) should be used for IW1 and only for duration of need.
- Communications Unit will clear a channel for emergency traffic as needed and only for duration of need.



**CAMP EMERGENCY:**  
Contact Medical Unit with patient complaint/condition and location. Medical Staff will respond to stabilize incident:

- Medical Unit contacts:
  - Communications
  - Safety
  - Logistics
  - Operations
  - Crew Supervisor
  - Comps/Claims

**INJURY REPORTING PROCEDURES**

NATURE OF INJURY \_\_\_\_\_  
 LOCATION OF PATIENT \_\_\_\_\_  
 POINT OF CONTACT \_\_\_\_\_  
 TRANSPORTATION REQUESTED BY: AIR\_\_ GROUND\_\_  
 POINT OF PICKUP \_\_\_\_\_  
 LAT \_\_\_\_\_ LONG \_\_\_\_\_  
 PATIENT UNIT ID \_\_\_\_\_  
 IS AN EMT WITH PATIENT: YES \_\_\_\_ NO \_\_\_\_  
 AGE \_\_\_\_\_  
 SEX: MALE \_\_\_\_ FEMALE \_\_\_\_

**ALL EMERGENCIES---Secure the area and identify witnesses for later investigation. Keep an accurate log of events.**

ICS 206 (Rev 03/12) FR	9. PREPARED BY: (Medical Unit Leader) Jeff Whitaker, MEDL-T 	10. REVIEWED BY: (Safety Officer) Chad Thompson SOF(T) 
---------------------------	--	---

**INCIDENT RADIO COMMUNICATIONS PLAN** Incident Name: **JERUSALEM & ROCKY INCIDENTS** Date/Time Prepared: **08/17/2015 1500** Operational Period Date/Time: **08/18/15 -- 08/22/2015 0700 - 0700**

Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAAC	TX Freq N or W	TX Tone/NAAC	Mode A, D or M	Remarks
1	COMMAND	CDF CMD 2	USE INCIDENT WIDE	151.2650	103.5	159.3300	Tones 1 (110.9)	A	USE FOR BOTH THE ROCKY AND JERUSALEM INCIDENTS
2									
3	COMMAND	CDF CMD 2	USE INCIDENT WIDE	151.2650	103.5	159.3300	Tones 13 (141.3)	A	USE IN SOUTH AND EASTERN AREAS OF THE JERUSALEM INCIDENT
4									
5	TACTICAL	VFIRE26	USE INCIDENT WIDE	154.3025	156.7	154.3025	156.7	A	CAL FIRE LOAD BK Grp 24, Ch 16; KW Grp 3, Ch 149
6	TACTICAL	VFIRE 25	FIRE SUPPRESSION REPAIR	154.2875	156.7	154.2875	156.7	A	CAL FIRE LOAD BK Grp 24, Ch 15; KW Grp 3, Ch 148
7	TACTICAL	CALCORD	MEDICAL EMERGENCIES ONLY	156.0750	156.7	156.0750	156.7	A	CAL FIRE LOAD BK Grp 24, Ch 5; KW Grp 3, Ch 139
8	AIR TO GROUND	CDF TAC 14	USE INCIDENTS WIDE	159.2250	192.8	159.2250	192.8	A	CAL FIRE LOAD BK Grp 19, Ch 17; KW Grp 3, Ch 63
9									
10									
11									
12									
13									
14									
15									
16	EMERGENCY	AIR GUARD	EMERGENCY USE ONLY	168.6250	CSQ	168.6250	110.9	A	CAL FIRE LOAD BK Grp 25, Ch 10; KW Grp 3, Ch 159
17									
18									
19									
20	EMERGENCY	AIR GUARD	EMERGENCY USE ONLY	168.6250	CSQ	168.6250	110.9	A	CAL FIRE LOAD BK Grp 25, Ch 10; KW Grp 3, Ch 159

Prepared By (Communications Unit): **John Aguilera, COML, IMT #2** Incident Location: **LOWER LAKE, CA**  
 County: **LAKE** State: **CA** Latitude: **38 54' 44 N** Longitude: **122 29' 21 W**

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A", "D" or "M" indicating analog or digital (e.g. Project 25) or "W" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.  
 ICS 205 NFES 1330



## FIRE SUPPRESSION REPAIR PLAN: ROCKY INCIDENT

Fire suppression repair is the repair of damage caused directly from fire suppression activities. It is not the repair of infrastructure or rehabilitation of burned areas that happened as a result of the fire itself.

Damaged facilities will be upgraded to their pre-fire condition. Projects too large or complex to be completed by the Fire Suppression Repair Group shall be transferred to the Comp/Claims Unit or the local Unit. Repair work shall only occur in locations authorized by the Operations division and where fire suppression activities are complete. Fire Suppression Repair Group resources shall evaluate all Divisions for appropriate repair needs. This includes areas inside and outside the fire perimeter, provided the damage was caused by official fire suppression activities.

Examples of items that may be repaired include, but are not limited to:

Infrastructure Damage	Natural Resource Damage
Fences and gates	Soil erosion
Culverts, bridges, and other watercourse crossings	Adverse impacts to air and water quality
Water sources	Adverse impacts to protected species of plants and animals
Utility distribution lines (above or below ground)	
Road barriers removed for fire access	
Trash, debris, and supplies left by fire suppression resources	
Miscellaneous damage to residential property	

### Dozer Line Repair

Dozers construct both fire and contingency lines. Dozer line width varies greatly. The following measures shall be implemented for constructed dozer line:

- Berms and push-piles shall be spread out to the extent feasible. This may be accomplished by back-blading and/or using ripper shanks or grapples. Debris piled against trees or perched above watercourses is especially important to remove or disperse.
- Waterbreaks shall be constructed at an approximately 45 degree angle and shall be a minimum depth of 12 inches from the bottom of the cut to the top of the berm. Where feasible, the discharge from waterbreaks shall be directed into vegetated areas.
- Where slopes exceed the range at which a tractor can effectively work, waterbreaks shall be constructed with hand tools.
- Roads used in fire suppression activities shall be left in the same condition they were found or better. Gravel and soil-surfaced roads shall be watered to prevent excessive dust. Where fire suppression activities have damaged or rendered road drainage facilities non-functional, waterbreaks or drivable drainage dips shall be installed for drainage.
- Where fire suppression activities have filled in or damaged inside ditches, the ditches shall be cleaned and left unobstructed.
- Vehicle access to dozer line on Bureau of Land Management lands shall be blocked using tank traps or other similar methods.
- Spacing of waterbreaks shall be as follows:

Prevailing gradient	Maximum waterbreak spacing
0-10%	200 feet
11-25%	150 feet
26-50%	100 feet
>50%	75 feet

*Spacing criteria is a general guide. Actual location of waterbreaks should be tailored to the topography and placement suited to the best dispersal of water flow.*

