



Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Index Page

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsnail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

✈ Potential Scoop Plane Water Source
Potential Scoop Plane accessible water sources were determined using a linear distance of at least three nautical miles over water. This DOES NOT account for safety of flight awareness or other external factors that may affect local flying conditions.

Potential Scoop Plane Water Source effective flying distance radius is approximately thirty nautical miles.




Date: 6/10/2016, BTF
AIS Data Source: WGFD
GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 1 - Snake River



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
 Asian Clam, Curly Pondweed,
 New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
 AIS Data Source: WGF

GCS: NAD 83
 PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.



1:50,000

0 0.5 1 2 3 4 Miles

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 2 - Shoshone River



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas

Date: 6/13/2016, BTF
 AIS Data Source: WGFD


GCS: NAD 83
 PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 3 - Lake DeSmet



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas




Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N


1:50,000

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 4 - Keyhole Reservoir



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed, New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas

Scale: 1:50,000

Date: 6/13/2016, BTF
AIS Data Source: WGFD


GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.


Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



108°19'0"W 108°18'0"W 108°17'0"W 108°16'0"W 108°15'0"W 108°14'0"W 108°13'0"W 108°12'0"W 108°11'0"W 108°10'0"W 108°9'0"W 108°8'0"W 108°7'0"W



Page 5 - Thermopolis



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

1:50,000


0 0.5 1 2 3 4 Miles

108°19'0"W 108°18'0"W 108°17'0"W 108°16'0"W 108°15'0"W 108°14'0"W 108°13'0"W 108°12'0"W 108°11'0"W 108°10'0"W 108°9'0"W 108°8'0"W 108°7'0"W

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 6 - Wind River/Boysen



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed, New Zealand Mudsnaill, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
AIS Data Source: WGFD


GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.


Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



108°20'0"W 108°19'0"W 108°18'0"W 108°17'0"W 108°16'0"W 108°15'0"W 108°14'0"W 108°13'0"W 108°12'0"W 108°11'0"W 108°10'0"W 108°9'0"W 108°8'0"W



Page 7 - Boysen Reservoir/Lake Cameahwait



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsnaill, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

1:50,000

0 0.5 1 2 3 4 Miles


43°23'0"N 43°22'0"N 43°21'0"N 43°20'0"N 43°19'0"N 43°18'0"N 43°17'0"N

108°20'0"W 108°19'0"W 108°18'0"W 108°17'0"W 108°16'0"W 108°15'0"W 108°14'0"W 108°13'0"W 108°12'0"W 108°11'0"W 108°10'0"W 108°9'0"W 108°8'0"W

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 8 - New Fork Lakes



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
 AIS Data Source: WGFD



GCS: NAD 83
 PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 9 - Wagonhound Creek/Latham Creek



Index Page (dashed orange line)

Buffered Waterway (thick red line)

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
 Asian Clam, Curly Pondweed,
 New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
 AIS Data Source: WGFD

GCS: NAD 83
 PCS: UTM Zone 12N


No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

1:50,000




Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016

104°50'0"W 104°49'0"W 104°48'0"W 104°47'0"W 104°46'0"W 104°45'0"W 104°44'0"W 104°43'0"W 104°42'0"W 104°41'0"W 104°40'0"W 104°39'0"W



Page 10 - Guernsey



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsnaill, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas

Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

1:50,000

0 0.5 1 2 3 4 Miles


42°20'0"N
42°19'0"N
42°18'0"N
42°17'0"N
42°16'0"N
42°15'0"N
42°14'0"N

42°20'0"N
42°19'0"N
42°18'0"N
42°17'0"N
42°16'0"N
42°15'0"N
42°14'0"N

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 11 - Laramie River North



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.



1:50,000

0 0.5 1 2 3 4 Miles

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 12 - Laramie River Central



Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed,
New Zealand Mudsail, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas




Date: 6/13/2016, BTF GCS: NAD 83
AIS Data Source: WGFD PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.



Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 13 - Laramie

Index Page

Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed, New Zealand Mudsnaill, Rusty Crayfish



Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas


Date: 6/13/2016, BTF
AIS Data Source: WGFD

GCS: NAD 83
PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.



Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Index Page


Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
Asian Clam, Curly Pondweed, New Zealand Mudsnaill, Rusty Crayfish

Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas



Date: 6/13/2016, BTF
 AIS Data Source: WGFD


GCS: NAD 83
 PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.

Aquatic Invasive Species (AIS) Buffered Waterways - Wyoming 2016



Page 15 - Seminoe Reservoir



Index Page
Buffered Waterway

Buffer is one half mile upstream/downstream & 200 feet of riparian zone from point of detection

Species may include one or more of the following:
 Asian Clam, Curly Pondweed, New Zealand Mudsail, Rusty Crayfish


Although considered pervasive throughout Wyoming waterways, Whirling Disease is not reflected on these maps and should be considered as part of a comprehensive AIS control program.

- Surface Management Agency**
- Bankhead Jones Acquired Federal Lands
 - Bureau of Land Management
 - Bureau of Reclamation
 - Military Reservations
 - Fish & Wildlife Service
 - Forest Service
 - National Grasslands
 - National Park Service
 - Other Federal Agencies
 - Wind River Indian Reservation Tribal Lands
 - Private Lands
 - State Lands
 - State/City/County Wildlife & Recreation Areas

Date: 6/13/2016, BTF
 AIS Data Source: WGFD

GCS: NAD 83
 PCS: UTM Zone 12N

No warranty is made for use of the data for purposes not intended by the Bureau of Land Management.



1:50,000

